DEFENSE LOGISTICS AGENCY



LAND AND MARITIME POST OFFICE BOX 3990 COLUMBUS, OH 43218-3990

July 22, 2021

Ms. Nawal Cotran Director, Quality and Reliability Integra Technologies Silicon Valley, LLC 1635 McCarthy Blvd. Milpitas, CA 95035

Dear Ms. Cotran:

Re: Commercial Laboratory Suitability Status; MIL-STD-883; FSC 5962; VQC-20-035110; Abel. CN: 072295.

Integra Technologies Silicon Valley, LLC is considered suitably equipped to perform the MIL-STD-883 tests, listed in the enclosure, on monolithic microcircuits in accordance with the requirements of military specification MIL-PRF-38535 effective immediately.

Your laboratory is to maintain a record for all microcircuit testing and submit a three-part summary annually to DLA Land and Maritime-VQC that will include the following three parts as a minimum:

- 1. Retention Report
 - a. Military Part Number
 - b. Vendor Part Number
 - c. Manufacturer/ Customer
 - d. Lot Date Code
 - e. Test Method(s) and Specified Conditions
 - f. Date Test Completed
 - g. Quantity Tested
 - h. Quantity Accepted and Rejected, when evaluating Acceptability
- 2. Summary of MIL-STD-883 Internal Audit Results
- 3. Master List of Controlled Documents (External and Internal), including Current Revision

The standard retention-reporting period is the calendar year, from 01 JAN through 31 DEC. Your three-part report is then due by 31 JAN the following year.

Test labs shall notify the qualifying activity immediately after learning of a potential issuance of a GIDEP alert, problem advisory or major quality/reliability problem on their military products utilizing the test methods on the attached enclosure. Failure to provide prior notification may be grounds for removal from DLA Land and Maritime's Commercial Lab Suitability Listing.

This Laboratory Suitability is subject to the policies, procedures, and conditions of the Defense Standardization Program, as published in the manual DoD 4120.24-M, SD-6, and the DLA Land and Maritime-VQ Laboratory Suitability Booklet.

This laboratory suitability is valid until withdrawn by DLA Land and Maritime-VQC. Any deviation to the test method or condition(s) listed herein must be approved by the Qualifying Activity.

If you have any questions, please contact Mr. Jerrod Abel at (614) 692-9933.

Sincerely,

MICHAEL S. ADAMS Chief Custom Devices Branch

Enclosure

Visit us on the web at: https://landandmaritimeapps.dla.mil/Offices/Sourcing_and_Qualification/offices.aspx

Enclosure to DLA Land and Maritime-VQC-20-035110

TEST	METHOD/CONDITION
Steady State Life Test	1005 A-E
Stabilization Bake	1008 A-E
Temperature Cycling	1010 A-C
Seal	1014 A ₂ , C ₁
Burn-in	1015 A-E
Constant Acceleration	2001 A-E
External Visual	2009
Internal Visual	2010 A-B
Bond Strength	2011 D
Die Shear Strength	2019
Nondestructive Bond Pull	2023
Lid Torque	2024
Substrate Attach Strength	2027
Highly Accelerated Temperature and Humidity Stress Test - biased	JEDEC JESD22-A110